

effective cadmium cut-off energy (in nuclear analytical chemistry)

In a given experimental configuration, the energy value determined by the condition that the *detector* response would be unchanged if the cadmium cover surrounding the detector was replaced by a fictitious cover opaque to neutrons with energy below this value and transparent to neutrons with energy above this value.

1982, 54, 1540; O.B. 221