

Tung distribution (of a macromolecular assembly)

A continuous distribution with the differential mass-distribution function of the form:

$$f_w(x) dx = abx^{b-1} \exp(-ax^b) dx$$

where x is a parameter characterizing the chain length, such as *relative molecular mass* or *degree of polymerization* and a and b are positive adjustable parameters.

P.B. 56